




BÄRLOCHER

Steinbruch & Steinhauerei AG, CH-9422 Staad

Fundation Steinplatten



Annahme Wind: 1.20 KN/m²
(exkl. Erdbeben / Anprall)

Betonsockel
Filterbeton
BN PC 200kg/m³

Filterbetonfundament
BN PC 200kg/m³
unbewehrt mind. 10cm

Frosttiefe mind. 80cm

freie Plattenhöhe	Plattenstärke	S	F
1.50m	10-13cm	0.60m	0.80m
2.00m	14-18cm	0.74m	0.94m
2.50m	14-18cm	0.86m	1.06m

Wälli AG Ingenieure

CH-9320 Arbon
Brühlstrasse 2a

T. 071 447 89 40
F. 071 447 89 45

arbon@waelli.ch
www.waelli.ch

wälli

Ingenieure